

# Test Report

No. CANEC1600066314

Date: 13 Jan 2016

Page 1 of 5

ZHANGZHOU YINMEI PRINTING INK CO.,LTD

DONGCHE VILLAGE, HUOTIAN TOWN, YUNXIAO COUNTY, ZHANGZHOU CITY, FUJIAN PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : INK

SGS Job No. : CP16-000192 - GZ  
 Model No. : G442  
 Client Ref. Info. : 01100, 10200, 10400, 20000, 20300, 20600, 20900, 21000, 30000, 30200, 30300, 30400, 30600, 30380, 40200, 40400, 40800, 50100, 60100 color mix  
 Date of Sample Received : 04 Jan 2016  
 Testing Period : 04 Jan 2016 - 08 Jan 2016  
 Test Requested : Selected test(s) as requested by client.  
 Test Method : Please refer to next page(s).  
 Test Results : Please refer to next page(s).

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Echo

Echo Yeung  
 Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn  
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Test Report

No. CANEC1600066314

Date: 13 Jan 2016

Page 2 of 5

Test Results :

## Test Part Description :

| Specimen No. | SGS Sample ID    | Description |
|--------------|------------------|-------------|
| SN1          | CAN16-000663.007 | Blue liquid |

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

## Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method : With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

| Test Item(s)                                                                                         | CAS NO.  | Unit  | MDL | 007 |
|------------------------------------------------------------------------------------------------------|----------|-------|-----|-----|
| Naphthalene(NAP)                                                                                     | 91-20-3  | mg/kg | 0.1 | ND  |
| Acenaphthylene(ANY)                                                                                  | 208-96-8 | mg/kg | 0.1 | ND  |
| Acenaphthene(ANA)                                                                                    | 83-32-9  | mg/kg | 0.1 | ND  |
| Fluorene(FLU)                                                                                        | 86-73-7  | mg/kg | 0.1 | ND  |
| Phenanthrene(PHE)                                                                                    | 85-01-8  | mg/kg | 0.1 | ND  |
| Anthracene(ANT)                                                                                      | 120-12-7 | mg/kg | 0.1 | ND  |
| Fluoranthene(FLT)                                                                                    | 206-44-0 | mg/kg | 0.1 | ND  |
| Pyrene(PYR)                                                                                          | 129-00-0 | mg/kg | 0.1 | ND  |
| Benzo(a)anthracene(BaA)                                                                              | 56-55-3  | mg/kg | 0.1 | ND  |
| Chrysene(CHR)                                                                                        | 218-01-9 | mg/kg | 0.1 | ND  |
| Benzo(b)fluoranthene(BbF)                                                                            | 205-99-2 | mg/kg | 0.1 | ND  |
| Benzo(j)fluoranthene(BjF)                                                                            | 205-82-3 | mg/kg | 0.1 | ND  |
| Benzo(k)fluoranthene(BkF)                                                                            | 207-08-9 | mg/kg | 0.1 | ND  |
| Benzo(a)pyrene(BaP)                                                                                  | 50-32-8  | mg/kg | 0.1 | ND  |
| Benzo(e)pyrene(BeP)                                                                                  | 192-97-2 | mg/kg | 0.1 | ND  |
| Indeno(1,2,3-c,d)pyrene(IPY)                                                                         | 193-39-5 | mg/kg | 0.1 | ND  |
| Dibenzo(a,h)anthracene(DBA)                                                                          | 53-70-3  | mg/kg | 0.1 | ND  |
| Benzo(g,h,i)perylene(BPE)                                                                            | 191-24-2 | mg/kg | 0.1 | ND  |
| Sum of 7 PAHs Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene | -        | mg/kg | -   | ND  |



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS Standards Technical Services Co., Ltd.  
Guangzhou Chemical Laboratory

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgs.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. CANEC1600066314

Date: 13 Jan 2016

Page 3 of 5

Test Item(s)

CAS NO.

Unit

MDL

007

Sum of 18 PAHs

-

mg/kg

-

ND

### AfPS ( German commission for Product Safety ) : GS PAHs requirements

| Parameter                                                                                     | Category 1                                                                                      | Category 2                                                                                                                         |                             | Category 3                                                                                                                 |                             |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                                                                                               | Material indented to be put in the mouth or toys with intended skin contact (longer than 30 s). | Materials not falling under category 1 with foreseeable contact to skin for longer than 30 s (long-term skin) or frequent contact. |                             | Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 s (short-term skin contact). |                             |
|                                                                                               |                                                                                                 | Toy under 2009/48/EC                                                                                                               | Other products under ProdSG | Toy under 2009/48/EC                                                                                                       | Other products under ProdSG |
| Benzo(a)pyrene mg/kg                                                                          | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(e)pyrene Mg/kg                                                                          | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(a)anthracene mg/kg                                                                      | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(b)fluoranthene mg/kg                                                                    | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(j)fluoranthene mg/kg                                                                    | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(k)fluoranthene mg/kg                                                                    | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Chrysene mg/kg                                                                                | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Dibenzo(a,h)anthracene mg/kg                                                                  | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Benzo(g,h,i)perylene mg/kg                                                                    | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Indeno(1,2,3-cd)pyrene mg/kg                                                                  | < 0.2                                                                                           | < 0.2                                                                                                                              | < 0.5                       | < 0.5                                                                                                                      | < 1                         |
| Acenaphthylene, Acenaphthene, fluorene, phenanthrene, pyrene, anthracene, fluoranthene, mg/kg | < 1 Sum                                                                                         | < 5 Sum                                                                                                                            | < 10 Sum                    | < 20 Sum                                                                                                                   | < 50 Sum                    |
| Naphthalene, mg/kg                                                                            | < 1                                                                                             | < 2                                                                                                                                |                             | < 10                                                                                                                       |                             |
| Sum of 18 PAHs                                                                                | < 1                                                                                             | < 5                                                                                                                                | < 10                        | < 20                                                                                                                       | < 50                        |

Remark 1: The result(s) shown is/are of the total weight of wet sample.

Remark 2: Results & photo(s) of this report refer to test report CANEC1600066313.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgs.com.cn  
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## ATTACHMENTS

### PAHs Testing Flow Chart

- 1) Name of the person who made testing: Sunny Hu
- 2) Name of the person in charge of testing: Cutey Yu






## Test Report

No. CANEC1600066314

Date: 13 Jan 2016

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*